

Mfg:-

#### **JET AQUA FILTRATION COMPANY**

New Delhi ( India) E-mail:info@jetaqua.com, www.jetaqua.com

Connect us:













#### **FORTY PERCENT OF PEOPLE** DO NOT HAVE TO ACCESS TO **CLEAN & PURE WATER**



### **2000 PEOPLE DIE EVERY DAY**

because they don't have access to clean, safe water!

## about us

#### **OverAview**

Widely acknowledged as the leader in the RO Water Purifier category, Jet Aqua pioneered in bringing the revolutionary Reverse Osmosis (RO) technology to every household. Equipped with the vision for a healthier world and the technological expertise to come up with innovative solutions, the brand started its operations in "year" and has now become one of the leading manufacturers of water purifiers, in

#### "Right Product at Right Price"

Jet Aqua is constantly innovating and providing solutions to protect people from harmful diseases. Driven by the purpose to offer good health to one and all, Jet Aqua is, without a doubt, the best guardian of your family's health and lets you drink pure, breathe pure, eat pure & live pure.

#### **Our Vision**

Jet Aqua aims at the global leadership in providing health solutions by creating innovative products for the consumer to make their lives healthy and comfortable. Jet Aqua holds the trust of its consumers from past two decades in the whole Asia. The vision is to expand further and reach every household around the globe.

#### **Our Mission**

- To Produce the World class Quality Products
- To Invest in New Technology
- To Create World Best Infrastructure
- To Adapt People Oriented Culture
- After sales service you can trust on To be Cost efficient
- To provide cost effective doorstep delivery
- To Innovate & Upgrade the Products





























#### RO+UV+UF+MINERAL+ TDS ADJUSTER


TECHNICAL SPECIFICATIONS	
Model	SIX PLUS
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	10 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	420 (W) x 305 (D) x 715 (H)





















#### RO+UV+ALKALINE+ TDS ADJUSTER

TECHNICAL SPECIFICATIONS	
PIAGO	
10-12 Ltr. / HR	
9 Ltr. Approx.	
Wall Mounted / Counter Top	
90%-95% Approx	
220V AC	
510 (W) x 305 (D) x 675 (H)	























#### RO+UV+UF+COPPER ALKALINE+TDS ADJUSTER

TECHNICAL SPECIFICATIONS	
Model	OMEGA
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	10 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	425 (W) x 315 (D) x 720 (H)























#### RO+UV+UF+COPPER ALKALINE+TDS ADJUSTER


TECHNICAL SPECIFICATIONS	
Model OMEGA TRANSPARENT	
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	10 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	425 (W) x 315 (D) x 720 (H)



























#### RO+UV+UF+TDS ADJUSTER **ALKALINE FILTER**


TECHNICAL SPECIFICATIONS	
Model	JASPER
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	8 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	365 (W) x 315 (D) x 620 (H)

















## RO+UV+TDS ADJUSTER ALKALINE FILTER


TECHNICAL SPECIFICATIONS	
Model	OPPO
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	13 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	430 (W) x 330 (D) x 670 (H)



















#### RO+UV+UF+ TDS ADJUSTER

TECHNICAL SPECIFICATIONS	
Model	GOLD+
FLOW RATE	10-12 Ltr. / HR
TANK CAPACITY	13 Ltr. Approx.
INSTALLATION	Wall Mounted / Counter Top
PURIFICATION OF TDS	90%-95% Approx
INPUT VOLTAGE	220V AC
DIMENSION	430 (W) x 230 (D) x 670 (H)













#### RO

TECHNICAL SPECIFICATIONS		
Model	SMART +	
FLOW RATE	10-12 Ltr. / HR	
TANK CAPACITY	8 Ltr. Approx.	
INSTALLATION	Wall Mounted / Counter Top	
PURIFICATION OF TDS	90%-95% Approx	
INPUT VOLTAGE	220V AC	
DIMENSION	350 (W) x 315 (D) x 570 (H)	









TECHNICAL SPECIFICATIONS	
Model	NICE +
INSTALLATION	Counter Top
LIFE OF UF MEMBRANE	4200 Ltr. (App.)
DIMENSION	275 (W) x 275 (D) x 505 (H)










Tap



#### Commercial RO Plants



AN ISO 9001:2015 CERTIFIED COMPANY





#### **REVERSE OSMOSIS SYSTEM**

TECHNICAL SPECIFICATIONS	
Model	PATRIOTS 25
FLOW RATE	25 Ltr. / HR
INSTALLATION	Counter Top
STAGE	5 STAGE
INPUT VOLTAGE	220V AC
DIMENSIONS (mm)	350 (L) x 460 (W) x 480 (H)



#### **REVERSE OSMOSIS SYSTEM**

TECHNICAL SPECIFICATIONS	
Model	PATRIOTS 50
FLOW RATE	50 Ltr. / HR
INSTALLATION	Counter Top
STAGE	5 STAGE
INPUT VOLTAGE	220V AC
DIMENSIONS (mm)	350 (L) x 495 (W) x 780 (H)











#### Industrial RO Plants



AN ISO 9001:2015 CERTIFIED COMPANY



TECHNICAL SPECIFICATIONS	
Model	PATRIOTS 100
FLOW RATE	100 Ltr. / HR
INSTALLATION	Counter Top
STAGE	5 STAGE
INPUT VOLTAGE	220V AC
DIMENSIONS (mm)	930 (L) x 500 (W) x 450 (D)













#### **OUR CERTIFICATIONS**

#### AN ISO 9001:2015 CERTIFIED COMPANY























#### OUR EXHIBITION STALLS








## ABOUT REVERSE OSMOSIS MEMBRANE

Reverse osmosis is a process in which water is forced through a semi-permeable membrane by applying very strong pressure to the feed – water side of the RO membrane, enabling the water molecules to pass through the membrane to other side. the diameter of the pores or apertures of the high technology RO membrane is 0.0001 micron. This permits only the passage of the water molecule while micro-organism and other solid or dissolved pollutants in the water are denied entry and hence effectively eliminated. The water produces is thus 99.99% pure.



# When More Than 70% of our Body Consists of Water

How can we afford to ignore the quality of water we consume daily in various forms.

water plays a vital role in maintaining & regulating our body system through various natural processes, v.i.z.

- a) Detoxifying
- b) Supporting Digestive Process
- c) Controlling Body Temperature
- d) Lubricating Joints in the skeletal system.
- e) Facilitating Metabolism.

#### **Alkaline Filter- Japanese Technology**

It consists of 100% natural Japanese alkaline media, Antioxidiser -ve ORP and Silver impregnated activated carbon. Kills 99.9% bacteria and prevent regeneration bacteria in water for last 120 days. Restore pH balance in body, Anti-aging effects, Increase Metabolism, Improve Immune System, Reduces Cholesterol & Sugar Level.

#### **KEY BENEFITS**



Anti-aging effects



Improve Blood Circulation



Improve Body Immune System



Increase Metabolism



Restore pH balance in body



Powerful Anti-Oxidants



Supplies Essential Mineral (Ca, Mg, K, Na, Fe, Al, F & Cl)



Neutralizes Acidic Wastes & Uric Acids



Reduces Cholesterol & Blood Sugar Level



